



SHELVES

SHELVES


ชั้นอเนกประสงค์ของ "ลัคกี้" นอกจากจะมีความแข็งแรงทนทานแล้ว ยังออกแบบให้สวยงาม เหมาะสำหรับใช้ทั้งในสำนักงาน ห้องสมุด ซูเปอร์มาร์เก็ต โรงงาน อุตสาหกรรม รวมทั้งในบ้านพักอาศัย มีให้เลือกมากมายหลายรูปแบบ ตามลักษณะการใช้งาน อาทิ ชั้นซูเปอร์มาร์เก็ต ชั้นวางหนังสือและชั้นเก็บของ เป็นต้น

"Lucky" multi-purpose shelves are not only durable but also beautiful. They have variety of designs for various uses and aspects of work required such as supermarket shelves, book shelves, storage shelves, etc. Suitable to use in several places such as office, library, supermarket, factory including home.

okamura



Library shelves



S - 317 N
925W x 546D x 1969H mm.




S - 327 N
1825W x 546D x 1969H mm.



S - 504
1219W x 305D x 1527H mm.

BODY COLOR : CREAM (#180)
COLOR MAY NOT BE EXACTLY SHOWN

Filing shelves




S - 666 N
921W x 311D x 1805H mm.




S - 366 N
921W x 311D x 962H mm.

CREAM (#180)
COLOR MAY NOT BE EXACTLY SHOWN

Book cases




SB - 3030
762W x 320D x 762H mm.




SB - 3042
762W x 320D x 1067H mm.




SB - 3048
762W x 320D x 1219H mm.




SB - 3060
762W x 320D x 1524H mm.



SB - 3072
762W x 320D x 1829H mm.





SB - 3078
762W x 320D x 1981H mm.





BODY COLOR : PUTTY (#193)
COLOR MAY NOT BE EXACTLY SHOWN



Supermarket shelves & supermarket accessories





SP - 210
924W x 460D x 1489H mm.




SP - 220
924W x 851D x 1489H mm.
SP - 20
899W x 403D x 29H mm.



SP - 310 B
1384W x 460D x 1489H mm.



SP - 310 F
1384W x 460D x 1489H mm.




SP - 320
1384W x 851D x 1489H mm.
SP - 30
584W x 289D x 29H mm.




BODY COLOR : CREAM (#180)
COLOR MAY NOT BE EXACTLY SHOWN

Multi - purpose shelves



SGH - 1634

880W x 405D x 1739H mm.



SGH - 1835

900W x 450D x 1830H mm.



SG - 1634

880W x 405D x 1739H mm.



SG - 1835

900W x 450D x 922H mm.



BODY COLOR : CREAM (#180)
COLOR MAY NOT BE EXACTLY SHOWN

Storage shelves



S - 2136 N

914W x 457D x 1830H mm.



S - 2133 N

914W x 457D x 930H mm.



S - 2436 N

914W x 610D x 1830H mm.



S - 2434 N

914W x 610D x 1230H mm.

Shelves for storage shelves



S - 21 N

914W x 457D x 35H mm.



S - 24 N

914W x 610D x 35H mm.




BODY COLOR : CREAM (#180)
COLOR MAY NOT BE EXACTLY SHOWN



BODY COLOR : DEEP GRAY (#170)
COLOR MAY NOT BE EXACTLY SHOWN

INDUSTRIAL SHELVES

Light - weight




IES - 01

1200W x 603D x 1829H mm.

IES - 011

1800W x 603D x 1829H mm.




IES - 02


1200W x 603D x 1240H mm.

IES - 021

1800W x 603D x 1240H mm.



IES - 01, 02




IES - 011, 021



BODY COLOR : DEEP GRAY (#170)
COLOR MAY NOT BE EXACTLY SHOWN

Heavy - duty



IES - 60240

2646W x 610D x 2400H mm.

IES - 90240

2646W x 910D x 2400H mm.




BODY COLOR : DEEP GRAY (#170)
COLOR MAY NOT BE EXACTLY SHOWN

OA SHELVES


Type 6S light - duty shelving

Easy to assemble, easy to move and ideal for small to medium - item storage.


TYPE 6S is economical and ideal for small to medium-weight items. one unit withstands loads up to 1500 kg. Our original boltless structure enables an easy installation. Extra Shelves can be added easily to create a "Custom" display. the addition of TYPE 6S shelf requires only one upright at the front and back, saving space and cost.



Uprights are connected to each other by connectors and securely tightened with special fasteners.




Shelves can be easily installed on brackets and are adjustable at a 25 mm. pitch to match various sizes of items. Assembly involves only inserting the brackets into slits on the upright.



Resin base plates do not leave scratch marks on a floor.

Loading capacity



OA SHELVES

Type 6S light - duty shelves

HEIGHT		1800 H			
Shelves COLOR SPEC : Z269		4 - Shelves		5 - Shelves	
CORD		Independent	Connectable	Independent	Connectable
900 W	300 D	6S 64 AA	6S 64 BA	6S 65 AA	6S 65 BA
940 (W1)	450 D	6S 64 AB	6S 64 BB	6S 65 AB	6S 65 BB
900 (W2)	600 D	6S 64 AC	6S 64 BC	6S 65 AC	6S 65 BC
1200 W	300 D	6S 64 AD	6S 64 BD	6S 65 AD	6S 65 BD
1240 (W1)	450 D	6S 64 AE	6S 64 BE	6S 65 AE	6S 65 BE
1200 (W2)	600 D	6S 64 AF	6S 64 BF	6S 65 AF	6S 65 BF
1500 W	300 D	6S 64 AG	6S 64 BG	6S 65 AG	6S 65 BG
1540 (W1)	450 D	6S 64 AH	6S 64 BH	6S 65 AH	6S 65 BH
1500 (W2)	600 D	6S 64 AI	6S 64 BI	6S 65 AI	6S 65 BI
1800 W	300 D	6S 64 AJ	6S 64 BJ	6S 65 AJ	6S 65 BJ
1840 (W1)	450 D	6S 64 AK	6S 64 BK	6S 65 AK	6S 65 BK
1800 (W2)	600 D	6S 64 AL	6S 64 BL	6S 65 AL	6S 65 BL


HEIGHT		2100 H					
Shelves COLOR SPEC : Z269		4 - Shelves		5 - Shelves		6 - Shelves	
CORD		Independent	Connectable	Independent	Connectable	Independent	Connectable
900 W	300 D	6S 74 AA	6S 74 BA	6S 75 AA	6S 75 BA	6S 76 AA	6S 76 BA
940 (W1)	450 D	6S 74 AB	6S 74 BB	6S 75 AB	6S 75 BB	6S 76 AB	6S 76 BB
900 (W2)	600 D	6S 74 AC	6S 74 BC	6S 75 AC	6S 75 BC	6S 76 AC	6S 76 BC
1200 W	300 D	6S 74 AD	6S 74 BD	6S 75 AD	6S 75 BD	6S 76 AD	6S 76 BD
1240 (W1)	450 D	6S 74 AE	6S 74 BE	6S 75 AE	6S 75 BE	6S 76 AE	6S 76 BE
1200 (W2)	600 D	6S 74 AF	6S 74 BF	6S 75 AF	6S 75 BF	6S 76 AF	6S 76 BF
1500 W	300 D	6S 74 AG	6S 74 BG	6S 75 AG	6S 75 BG	6S 76 AG	6S 76 BG
1540 (W1)	450 D	6S 74 AH	6S 74 BH	6S 75 AH	6S 75 BH	6S 76 AH	6S 76 BH
1500 (W2)	600 D	6S 74 AI	6S 74 BI	6S 75 AI	6S 75 BI	6S 76 AI	6S 76 BI
1800 W	300 D	6S 74 AJ	6S 74 BJ	6S 75 AJ	6S 75 BJ	6S 76 AJ	6S 76 BJ
1840 (W1)	450 D	6S 74 AK	6S 74 BK	6S 75 AK	6S 75 BK	6S 76 AK	6S 76 BK
1800 (W2)	600 D	6S 74 AL	6S 74 BL	6S 75 AL	6S 75 BL	6S 76 AL	6S 76 BL

Type 6S light - duty shelves


HEIGHT		2400 H					
Shelves COLOR SPEC : Z269		5 - Shelves		6 - Shelves		7 - Shelves	
CORD		Independent	Connectable	Independent	Connectable	Independent	Connectable
900 W	300 D	6S 85 AA	6S 85 BA	6S 86 AA	6S 86 BA	6S 87 AA	6S 87 BA
940 (W1)	450 D	6S 85 AB	6S 85 BB	6S 86 AB	6S 86 BB	6S 87 AB	6S 87 BB
900 (W2)	600 D	6S 85 AC	6S 85 BC	6S 86 AC	6S 86 BC	6S 87 AC	6S 87 BC
1200 W	300 D	6S 85 AD	6S 85 BD	6S 86 AD	6S 86 BD	6S 87 AD	6S 87 BD
1240 (W1)	450 D	6S 85 AE	6S 85 BE	6S 86 AE	6S 86 BE	6S 87 AE	6S 87 BE
1200 (W2)	600 D	6S 85 AF	6S 85 BF	6S 86 AF	6S 86 BF	6S 87 AF	6S 87 BF
1500 W	300 D	6S 85 AG	6S 85 BG	6S 86 AG	6S 86 BG	6S 87 AG	6S 87 BG
1540 (W1)	450 D	6S 85 AH	6S 85 BH	6S 86 AH	6S 86 BH	6S 87 AH	6S 87 BH
1500 (W2)	600 D	6S 85 AI	6S 85 BI	6S 86 AI	6S 86 BI	6S 87 AI	6S 87 BI
1800 W	300 D	6S 85 AJ	6S 85 BJ	6S 86 AJ	6S 86 BJ	6S 87 AJ	6S 87 BJ
1840 (W1)	450 D	6S 85 AK	6S 85 BK	6S 86 AK	6S 86 BK	6S 87 AK	6S 87 BK
1800 (W2)	600 D	6S 85 AL	6S 85 BL	6S 86 AL	6S 86 BL	6S 87 AL	6S 87 BL



TYPE A (Open Type)



TYPE B (Box Type)
Special Order



TYPE C (Mesh Panel Type)
Special Order

OA SHELVES



TYPE R46 MEDIUM DUTY SHELVING

Excellent load capacity for efficient storage of different size and shape medium - weight merchandize

This all - purpose medium - duty shelf features the flexibility to accommodate merchandize in different sizes and shapes and the dependability of a 2,000 kg. loading capacity. The boltless construction makes the shelf to be assembled and to be adjusted to match either an increase or decrease in inventory.



Strong and rigid shelves




Structure

Extra shelves can be added easily to create a "custom" display. The addition of a TYPE R46 Shelf requires of only one upright at the front and back, saving space and cost. Shelves can be moved by simple repositioning the brackets. Hooks on the brackets are engaged at four points for all around support and rigidity.

TYPE A (Open Type)




TYPE B (Box Type) Special Order




Loading capacity

Unit loading capacity



Capacity shelf



Type R46 shelves

	900 W		1300 W		1800 W	
	Independent	Connectable	Independent	Connectable	Independent	Connectable
1870 H						
Depth						
470 D	6Y65AA-Z-40	6Y65BA-Z-40	6Y65AL-Z-40	6Y65BL-Z-40	6Y65AO-Z-40	6Y65BO-Z-40
608 D	6Y65AB-Z-40	6Y65BB-Z-40	6Y65AM-Z-40	6Y65BM-Z-40	6Y65AP-Z-40	6Y65BP-Z-40
800 D	6Y65AC-Z-40	6Y65BC-Z-40			6Y65AQ-Z-40	6Y65BQ-Z-40
1070 D	6Y65AD-Z-40	6Y65BD-Z-40			6Y65AR-Z-40	6Y65BR-Z-40
1870 H						
Depth						
470 D	6Y66AA-Z-40	6Y66BA-Z-40	6Y66AL-Z-40	6Y66BL-Z-40	6Y66AO-Z-40	6Y66BO-Z-40
608 D	6Y66AB-Z-40	6Y66BB-Z-40	6Y66AM-Z-40	6Y66BM-Z-40	6Y66AP-Z-40	6Y66BP-Z-40
800 D	6Y66AC-Z-40	6Y66BC-Z-40			6Y66AQ-Z-40	6Y66BQ-Z-40
1070 D	6Y66AD-Z-40	6Y66BD-Z-40			6Y66AR-Z-40	6Y66BR-Z-40
2120 H						
Depth						
470 D	6Y75AA-Z-40	6Y75BA-Z-40	6Y75AL-Z-40	6Y75BL-Z-40	6Y75AO-Z-40	6Y75BO-Z-40
608 D	6Y75AB-Z-40	6Y75BB-Z-40	6Y75AM-Z-40	6Y75BM-Z-40	6Y75AP-Z-40	6Y75BP-Z-40
800 D	6Y75AC-Z-40	6Y75BC-Z-40			6Y75AQ-Z-40	6Y75BQ-Z-40
1070 D	6Y75AD-Z-40	6Y75BD-Z-40			6Y75AR-Z-40	6Y75BR-Z-40
2120 H						
Depth						
470 D	6Y76AA-Z-40	6Y76BA-Z-40	6Y76AL-Z-40	6Y76BL-Z-40	6Y76AO-Z-40	6Y76BO-Z-40
608 D	6Y76AB-Z-40	6Y76BB-Z-40	6Y76AM-Z-40	6Y76BM-Z-40	6Y76AP-Z-40	6Y76BP-Z-40
800 D	6Y76AC-Z-40	6Y76BC-Z-40			6Y76AQ-Z-40	6Y76BQ-Z-40
1070 D	6Y76AD-Z-40	6Y76BD-Z-40			6Y76AR-Z-40	6Y76BR-Z-40
2420 H						
Depth						
470 D	6Y85AA-Z-40	6Y85BA-Z-40	6Y85AL-Z-40	6Y85BL-Z-40	6Y85AO-Z-40	6Y85BO-Z-40
608 D	6Y85AB-Z-40	6Y85BB-Z-40	6Y85AM-Z-40	6Y85BM-Z-40	6Y85AP-Z-40	6Y85BP-Z-40
800 D	6Y85AC-Z-40	6Y85BC-Z-40			6Y85AQ-Z-40	6Y85BQ-Z-40
1070 D	6Y85AD-Z-40	6Y85BD-Z-40			6Y85AR-Z-40	6Y85BR-Z-40
2420 H						
Depth						
470 D	6Y86AA-Z-40	6Y86BA-Z-40	6Y86AL-Z-40	6Y86BL-Z-40	6Y86AO-Z-40	6Y86BO-Z-40
608 D	6Y86AB-Z-40	6Y86BB-Z-40	6Y86AM-Z-40	6Y86BM-Z-40	6Y86AP-Z-40	6Y86BP-Z-40
800 D	6Y86AC-Z-40	6Y86BC-Z-40			6Y86AQ-Z-40	6Y86BQ-Z-40
1070 D	6Y86AD-Z-40	6Y86BD-Z-40			6Y86AR-Z-40	6Y86BR-Z-40